

FB = Floating split body



Metal seated High temp. design

POS.	PART. NAME	MATERIAL
01	BODY	ASTM A479 Gr. 316
02	SEAT	ASTM A479 Gr. 316+NOTE 1
03	BALL	ASTM A479 Gr. 316+NOTE 1
04	STEM	ASTM A479 Gr. 316
05	GLAND	AISI 316
05.1	STEM COVER	ASTM A479 Gr. 316
06	CLOSURE	ASTM A479 Gr. 316
10	LEVER	S.S.
11	LOCKING DEVICE	S.S.
12	LEVER STOP	ASTM A479 Tp316
51	STUD	ASTM A193 B8 CL.2
52	NUT	ASTM A194 Gr.8
53	LEVER NUT	C.S. +ZINC
54	SCREW	ASTM A193 B8 CL.2
55	THRUST WASHER	SS316+GRAPHITE
63	GASKET	GRAPHITE
63.1	GASKET	GRAPHITE
64	GASKET SWT	SS316+GRAPHITE
65	SPRING WASHER	AISI 301
66	SPRING	AISI 301

NOTE:
1 - LW5 OR AMPERIT 551 COATED

NOTE:
- Dimension in mm, weight in kg
- Valves according to BS 5351 - B16.34 - ASME VIII Div. 1
- Flanges according to ASME B16.5
- Face to face according to API 6D - ASME B16.10
- Antistatic device according to BS. 5351
- Fire safe according to BS-6755 Pt.2/API6FA.
- Material in acc. with Nace MR 0175

VDS : B3AJ21

ITEM.	QTY.	SIZE:	CLASS:	ENDS:	A	B	C	D	X	Weight
1	2	3"	150	RF	203	74	250	360	100	26

EMMECI		VALNOR		BALL VALVE	
				SPLIT BODY FLOATING - HIGH TEMPERATURE	
R.N.	06 03 15	GENERAL ASSEMBLY			
R.S.	06 03 15				
E.M.	06 03 15				
A3					